Crop Productivity Index—Minnehaha County, South Dakota
(Valley Springs Farm)



Map Scale: 1:4,950 if printed on A landscape (11" x 8.5") sheet.

N

Meters: 0 50 100 200 300

Feet: 0 200 400 800 1200

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils

Soil Rating Polygons
- <= 3
- > 3 and <= 29
- > 29 and <= 35
- > 35 and <= 68
- > 68 and <= 88
- Not rated or not available

Soil Rating Lines
- <= 3
- > 3 and <= 29
- > 29 and <= 35
- > 35 and <= 68
- > 68 and <= 88
- Not rated or not available

Soil Rating Points
- <= 3
- > 3 and <= 29
- > 29 and <= 35
- > 35 and <= 68
- > 68 and <= 88
- Not rated or not available

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Minnehaha County, South Dakota
Survey Area Data: Version 21, Sep 12, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Oct 8, 2015—Feb 16, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Crop Productivity Index

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
HtD	Houdek-Talmo complex, 9 to 15 percent slopes	35	2.8	2.8%
MdB	Moody silty clay loam, cool, 2 to 6 percent slopes	87	1.9	1.9%
MnB	Moody-Nora complex, 2 to 6 percent slopes	88	55.3	54.6%
NcC	Nora-Crofton complex, 6 to 9 percent slopes	68	13.9	13.7%
Ob	Obert silty clay loam, 0 to 1 percent slopes	29	20.8	20.5%
Og	Orthents, gravelly	3	6.6	6.5%
Totals for Area of Interest			**101.3**	**100.0%**

Description

Crop productivity index ratings provide a relative ranking of soils based on their potential for intensive crop production. An index can be used to rate the potential yield of one soil against that of another over a period of time. Ratings range from 0 to 100. The higher numbers indicate higher production potential. The rating is not crop specific. Minnesota inquiries must use the 'Map Unit Cropland Productivity Report (MN)' soils report from the Soil Reports tab under 'Vegetative Productivity'.

When the soils are rated, the following assumptions are made: a) adequate management, b) natural weather conditions (no irrigation), c) artificial drainage where required, d) no frequent flooding on the lower lying soils, and e) no land leveling or terracing. Even though predicted average yields will change with time, the productivity indices are expected to remain relatively constant in relation to one another over time.

Rating Options

Aggregation Method: Weighted Average

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

Interpret Nulls as Zero: Yes